

Homer | Web Dashboard

- [Install on Docker](#)
- [Homer Functions](#)

Install on Docker

Pull the docker image <https://hub.docker.com/r/b4bz/homer>

****Homer docker compose .yaml**** <https://github.com/bastienwirtz/homer>

```
version: "2"
services:
  jellyfin:
    image: b4bz/homer:latest
    container_name: homer
    environment:
      - PUID=1001
      - PGID=1001
      - PST=America/Los Angeles
    volumes:
      - /mounted/local/storage/location/:/www/assets
    ports:
      - 8091:8080
    restart: always
```

Homer Functions

Server app card status dot:

In the config file, include the "type: Ping" for the status dot.

-Note: Make sure the P is capitalized, with no quotes. It will not work otherwise. This should work with or without quotes.

```
services:
  - name: "Media"
    icon: "fa-solid fa-clapperboard"
    items:
      - name: "Moviez"
        type: Ping #make sure to include a cap "P"
        logo: "assets/icons/film1.png"
        subtitle: "It's Movie Time!"
        tag: "Jellyfin"
        url: "https://moviez.danicus.net"
      - name: YouTube
        type: "Ping" #make sure to include a cap "P"
        logo: "assets/icons/youtube1.png"
        subtitle: "Tube it up"
        tag: "JewTube"
        url: "https://www.youtube.com/"
      - name: Netflix
        type: Ping #make sure to include a cap "P"
        logo: "assets/tools/netflix1.jpg"
        subtitle: "Netflix-n-chill"
        tag: "Netflix"
        url: "https://www.netflix.com/"
```

```
services:
  - name: "Media"
    icon: "fa-solid fa-clapperboard"
    items:
      - name: "Moviez"
        type: Ping
        logo: "assets/icons/film1.png"
```