


Modules {% module %}

Refer to: <https://developers.hubspot.com/docs/cms/building-blocks/modules/using-modules-in-templates>

You must first create a module before you can use this tag. Then, you can use this to reference a module and use it in a template.

This will be our custom module.



Module tag / Module name / Module Path / Parameters /

- Module name = gives the module a unique identity in the context of the template.
- Path = always start with `@hubspot/` followed by the type of module (unless its custom).
- Parameters = are comma-separated, key-value pairs
 - Requires double or single quotes
 - Boolean - no quotes needed for `True` or `False` values.

```
{% module "unique_module_name" path="@hubspot/module_type" %}
```

Examples:

```
{# Basic syntax #}
```

```
{% module "unique_module_name" path="@hubspot/module_type",  
  parameterString='String parameter value',  
  parameterBoolean=True  
%}
```

```
{# Sample of a default HubSpot text module #}
```

```
{% module "job_title" path="@hubspot/text",  
  label="Job Title",  
  value="Chief Morale Officer"  
%}
```

```
{# Sample of a custom module #}
```

```
{% module "faqs" path="/myWebsite/modules/faq_module",  
  label="Custom FAQ Module"  
  faq_group_title="Commonly Asked Questions"  
%}
```

Setting default values for style fields

```
{% dnd_module  
  path="./path/to/module",  
  styles={  
    "background_color":{  
      "color":"#123",  
      "opacity":50  
    }  
  }  
%}
```

Revision #3

Created 3 October 2023 18:48:33 by Danicus

Updated 3 October 2023 19:54:28 by Danicus