

n8n Work Flow software | Self Hosted

- [Web DAV URL](#)
- [Install n8n on Docker Compose](#)

Web DAV URL

If you want to change your URL and turn it into a Web DAV URL, you can simply use the main domain name and add the `/remote.php/webdav/` to the end.

In the case of <https://wiki.danicus.net/books/n8n-work-flow-software-self-hosted/draft/138> (where you are right now)

- Remove the `/books/n8n-work-flow-software-self-hosted/draft/138` part
- Add `/remote.php/webdav/` to the base URL

Looks like this:

<https://wiki.danicus.net/remote.php/webdav/>

...and that's it. that's a Web DAV URL

Install n8n on Docker Compose

```
networks:
```

```
  ai1:
```

```
x-n8n: &service-n8n
```

```
  image: n8nio/n8n:latest
```

```
  networks: ['ai1']
```

```
  environment:
```

- DB_TYPE=postgresdb
- DB_POSTGRESDB_HOST=face
- DB_POSTGRESDB_USER=\${POSTGRES_USER} #use .env file for user
- DB_POSTGRESDB_PASSWORD=\${POSTGRES_PASSWORD} #use .env file for password
- N8N_DIAGNOSTICS_ENABLED=false
- N8N_PERSONALIZATION_ENABLED=false
- N8N_ENCRYPTION_KEY
- N8N_USER_MANAGEMENT_JWT_SECRET
- N8N_SECURE_COOKIE=false

```
  links:
```

- postgresdb

```
x-ollama: &service-ollama
```

```
  image: ollama/ollama:latest
```

```
  container_name: ollama
```

```
  networks: ['ai1']
```

```
  restart: always
```

```
  ports:
```

- 11434:11434

```
  volumes:
```

- /your/local/directory/:/root/.ollama

```
x-init-ollama: &init-ollama
  image: ollama/ollama:latest
  networks: ['ai1']
  container_name: ollama-pull-llama
  volumes:
    - /your/local/directory/:/root/.ollama
  entrypoint: /bin/sh
  command:
    - "-c"
    - "sleep 3; OLLAMA_HOST=ollama:11434 ollama pull llama3.1; OLLAMA_HOST=ollama:11434 ollama pull
nomic-embed-text"
```

services:

postgresdb:

image: postgres:16-alpine

networks: ['ai1']

restart: always

ports:

- 5432:5432

environment:

- POSTGRES_USER

- POSTGRES_PASSWORD

- POSTGRES_DB

volumes:

- /your/local/directory/:/var/lib/postgresql/data

healthcheck:

test: ['CMD-SHELL', 'pg_isready -h localhost -U \${POSTGRES_USER} -d \${POSTGRES_DB}']

interval: 5s

timeout: 5s

retries: 10

n8n-import:

<<: *service-n8n

container_name: n8n-import

entrypoint: /bin/sh

command:

- "-c"

- "n8n import:credentials --separate --input=/backup/credentials && n8n import:workflow --separate --
input=/backup/workflows"

volumes:

- /your/local/directory/./backup

depends_on:

postgresdb:

condition: service_healthy

n8n:

<<: *service-n8n

container_name: n8n

restart: always

ports:

- 5678:5678

volumes:

- /your/local/directory/./home/node/.n8n
- /your/local/directory/./backup
- /your/local/directory/./data/shared

depends_on:

postgresdb:

condition: service_healthy

n8n-import:

condition: service_completed_successfully

qdrant:

image: qdrant/qdrant

container_name: qdrant

networks: ['ai1']

restart: always

ports:

- 6333:6333

volumes:

- /your/local/directory/./qdrant/storage

ollama-cpu:

profiles: ["cpu"]

<<: *service-ollama

ollama-gpu:

profiles: ["gpu-nvidia"]

<<: *service-ollama

deploy:

```
resources:
  reservations:
    devices:
      - driver: nvidia
        count: 1
        capabilities: [gpu]
```

```
ollama-pull-llama-cpu:
```

```
  profiles: ["cpu"]
```

```
  <<: *init-ollama
```

```
  depends_on:
```

```
    - ollama-cpu
```

```
ollama-pull-llama-gpu:
```

```
  profiles: ["gpu-nvidia"]
```

```
  <<: *init-ollama
```

```
  depends_on:
```

```
    - ollama-gpu
```

To run it correctly, you will need to choose to run it with CPU or a GPU

```
docker-compose --profile cpu up -d
```

or

```
docker-compose --profile gpu-nvidia up -d
```

<https://github.com/coleam00/ai-agents-masterclass/blob/main/local-ai-packaged/README.md>