

Odoo (Open ERP)

Pages

- [Install on docker compose](#)
- [Troubleshooting Odoo | Docker permissions:](#)
- [Install Odoo "Community" on local machine](#)
- [Odoo File Locations](#)
- [Odoo addons](#)
- [Odoo | Nginx config file](#)

Install on docker compose

Configure your .yml file like this:

```
version: '3.1'

services:
  web:
    container_name: odoo
    image: odoo:16.0
    depends_on:
      - db
    ports:
      - "8069:8069"
    volumes:
      - /your/local/directory:/var/lib/odoo
      - /your/local/directory:/etc/odoo
      - //your/local/directory:/mnt/extra-addons
    environment:
      - HOST=db
      - PASSWORD=bitchodoo
      - USER=odoo
  db:
    container_name: odoodb
    image: postgres:15
    volumes:
      - /your/local/directory:/var/lib/postgresql/data/pgdata
    environment:
      - POSTGRES_DB=postgres
      - POSTGRES_PASSWORD=bitchodoo
      - POSTGRES_USER=odoo
      - PGDATA=/var/lib/postgresql/data/pgdata

volumes:
  odoo-web-data:
  odoo-db-data:
```


Troubleshooting Odoo |

Docker permissions:

Docker permissions:

FYI: On first setup, main/root directory is set to "root"

```
drwxr-xr-x  5 root          root          4096 Nov 21 11:44 odoo1/
```

Inside your root directory, Your main website directory well be set to root. Change it. Go into the docker container and get the user ID number. In my case it was 102. Exit the container and chown 102:102 your directory so that the container has its own permissions.

```
chown 102:102
```

```
drwxr-xr-x  4 systemd-network systemd-journal 4096 Nov 21 11:46 odoo-web-data/
```

Data Base:

The date base should be fine if it looks like:

```
drwx----- 19 lxd          root          4096 Nov 21 11:46 odoodb/
```

Extra-Addons:

```
drwxr-xr-x 17 root          root          4096 Nov 21 16:51 extra-addons/
```

Loosing connection to dashboard:

****DO NOT RESTART THE ODOO CONTAINER**** After restarting the Odoo docker container, the Odoo dashboard will not connect. The site also looks messed up or, just wont load at all.

Solution 1: Delete all volume folders and start over. Permission don't seem to have an affect on this.

Install Odoo "Community" on local machine

Odoo 'deb' package uses PostgreSQL. Install that first

```
sudo apt install postgresql -y
```

Repository:

```
wget -q -O - https://nightly.odoo.com/odoo.key | sudo gpg --dearmor -o /usr/share/keyrings/odoo-archive-keyring.gpg
```

```
echo 'deb [signed-by=/usr/share/keyrings/odoo-archive-keyring.gpg] https://nightly.odoo.com/17.0/nightly/deb/./' | sudo tee /etc/apt/sources.list.d/odoo.list
```

Use the usual `apt-get upgrade` command to keep the installation up-to-date:

```
sudo apt-get update && sudo apt-get install odoo
```

After its installed, you will need to start it up.

```
sudo service odoo start
```

Odoo File Locations

`/etc/odoo`

`/var/lib/odoo/.local/share/Odoo`

Odoo addons

To add modules:

first create a location of where the modules will be stored. Odoo does not make one by default. You will need to create your own path.

```
/home/some/location/you/want/extra-addons
```

Edit the files:

```
/etc/odoo/odoo.conf
```

Add path in that file: Any spot in the file will do.

```
addons_path = /home/some/location/you/want/extra-addons
```

Restart Odoo to make sure it is working

```
sudo systemctl restart odoo
```

Odoo | Nginx config file

This is my current version:

```
server {
    server_name mywebsite.com;

    location / {
        proxy_pass http://127.0.0.1:8069;
        proxy_connect_timeout 3600;
        proxy_read_timeout 3600;
        proxy_send_timeout 3600;
        send_timeout 3600;

        proxy_set_header X-Forwarded-Host $host;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
        proxy_set_header X-Forwarded-Proto $scheme;
        proxy_set_header X-Real-IP $remote_addr;
    }

    #certbot is maintaining ssl automatically
}
```

Another version is:

```
server {
    server_name testing.com 111.111.111.111; //replace ip and server name with your domain and ip
    listen 80;
    access_log /var/log/nginx/testing-access.log;
    error_log /var/log/nginx/testing-error.log;
    location /longpolling {
        proxy_connect_timeout 3600;
        proxy_read_timeout 3600;
        proxy_send_timeout 3600;
        send_timeout 3600;
        proxy_pass http://127.0.0.1:8072;
    }
    location / {
        proxy_connect_timeout 3600;
```



```
proxy_read_timeout    3600;
proxy_send_timeout    3600;
send_timeout          3600;
proxy_pass http://127.0.0.1:8069;
proxy_set_header Host $http_host;
proxy_set_header X-Forwarded-Host $http_host;
proxy_set_header X-Real-IP $remote_addr;
proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
}
gzip on;
gzip_min_length 1000;
}
upstream odoo {
server 127.0.0.1:8069 weight=1 fail_timeout=0;
}
upstream odoo-im {
server 127.0.0.1:8072 weight=1 fail_timeout=0;
}
```

<https://www.cybrosys.com/blog/how-to-configure-odoo-with-nginx-as-reverse-proxy>